

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার
শুদ্ধ রেয়াত ও প্রত্যর্পণ পরিদপ্তর
চট্টগ্রাম সমিতি ভবন (৬ষ্ঠ - ৮ম তলা),
৩২, তোপখানা রোড, ঢাকা-১০০০।

নথি নং-০৯/ডেডো/সহগ/২০১৪/৪২১/

তারিখঃ

প্রেরকঃ মহাপরিচালক

প্রাপকঃ পরিচালক

মেসার্স ফেবিয়ান গ্লেড লিঃ

প্লট নং-এ-১৭,১৮, বি-২৬-২৭

বিসিক শিল্প নগরী, কালুরঘাট

চট্টগ্রাম।

বিষয়ঃ আবেদনের পরিপ্রেক্ষিতে সহগ জারীকরণ।

আপনার আবেদনের পরিপ্রেক্ষিতে প্রতিষ্ঠানটি জরীপ করে জরীপে প্রাপ্ত তথ্যের ভিত্তিতে সহগ প্রণয়ন করা হয়েছে। প্রণীত সহগের কপি প্রয়োজনীয় কার্যক্রমের জন্য এ পত্রের সাথে সংযুক্ত করে প্রেরণ করা হলো।

সংযুক্তিঃ ০২ (দুই) পাতা।

নথি নং-০৯/ডেডো/সহগ/২০১৪/৪২১/

১২১১ (ছয়)

অনুলিপি সদয় অবগতি ও প্রয়োজনীয় কার্যক্রমের জন্যঃ

১। কমিশনার, কাস্টমস্ বন্ড কমিশনারেট, ৪২, এম.এম.আলী রোড, লালখাঁন বাজার, চট্টগ্রাম (সংযুক্তি ০২ পাতা)।

সংরক্ষণের জন্য-

ক) গার্ড ফাইল, ডেডো, ঢাকা।

খ) অফিস কপি, ডেডো, ঢাকা।

সাদিয়া আফরোজ
উপ-পরিচালক (চ: দা:)

মহাপরিচালকের পক্ষে

তারিখঃ

০১/০৬/১৬

সাদিয়া আফরোজ

উপ-পরিচালক (চ: দা:)

মহাপরিচালকের পক্ষে

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার
শুল্ক রেয়াত ও প্রত্যর্পণ পরিদপ্তর,
৩২ তোপখানা রোড, ঢাকা।

মেসার্স ফেবিয়ান থ্রেড লিমিটেড এর উপকরণ উৎপাদ সহগ

Sl. No.	Name of Product	Name of Raw Materials	Unit of Measurement	Consumption of Raw Materials			
				Actual	Shrinkage	Wastage	Gross
1	100% Spun Polyester Sewing Thread in Cone. Count : 50/2 Length : 4000 Meter Unit : One Cone	a) 100% Spun Polyester Thread in Cone	Gram	94.05	2.50%	1.50%	97.81
		b) Dyed Stuff	Gram	1.71	Nil	0.50%	1.72
		c) Chemicals (Falagel FA-6, Eganal mldu, Hydrochloric Acid, Univadine DP, Levelling agent, Complexing agent-Ethylenediamine, Disdonator HB, Setamol BL, Castic Soda, Setamol Ws, Finishing agent)	Gram	2.75	Nil	0.50%	2.76
		d) Silicon Oil	Gram	3.07	Nil	1.00%	3.10
2	100% Spun Polyester Sewing Thread in Cone. Count : 40/2 Length : 4000 Meter Unit : One Cone	a) 100% Spun Polyester Thread in Cone	Gram	118.11	2.50%	1.50%	122.83
		b) Dyed Stuff	Gram	2.15	Nil	0.50%	2.16
		c) Chemicals (Falagel FA-6, Eganal mldu, Hydrochloric Acid, Univadine DP, Levelling agent, Complexing agent-Ethylenediamine, Disdonator HB, Setamol BL, Castic Soda, Setamol Ws, Finishing agent)	Gram	3.45	Nil	0.50%	3.47
		d) Silicon Oil	Gram	3.85	Nil	1.00%	3.89
3	100% Spun Polyester Sewing Thread in Cone. Count : 20/2 Length : 3000 Meter Unit : One Cone	a) 100% Spun Polyester Thread in Cone	Gram	177.16	2.50%	1.50%	184.25
		b) Dyed Stuff	Gram	3.22	Nil	0.50%	3.24
		c) Chemicals (Falagel FA-6, Eganal mldu, Hydrochloric Acid, Univadine DP, Levelling agent, Complexing agent-Ethylenediamine, Disdonator HB, Setamol BL, Castic Soda, Setamol Ws, Finishing agent)	Gram	5.18	Nil	0.50%	5.21
		d) Silicon Oil	Gram	5.78	Nil	1.00%	5.83
4	100% Spun Polyester Sewing Thread in Cone. Count : 20/3 Length : 2000 Meter Unit : One Cone	a) 100% Spun Polyester Thread in Cone	Gram	177.16	2.50%	1.50%	184.25
		b) Dyed Stuff	Gram	3.22	Nil	0.50%	3.24
		c) Chemicals (Falagel FA-6, Eganal mldu, Hydrochloric Acid, Univadine DP, Levelling agent, Complexing agent-Ethylenediamine, Disdonator HB, Setamol BL, Castic Soda, Setamol Ws, Finishing agent)	Gram	5.18	Nil	0.50%	5.21
		d) Silicon Oil	Gram	5.78	Nil	1.00%	5.83
5	100% Spun Polyester Sewing Thread in Cone. Count : 20/4 Length : 1500 Meter Unit : One Cone	a) 100% Spun Polyester Thread in Cone	Gram	177.16	2.50%	1.50%	184.25
		b) Dyed Stuff	Gram	3.22	Nil	0.50%	3.24
		c) Chemicals (Falagel FA-6, Eganal mldu, Hydrochloric Acid, Univadine DP, Levelling agent, Complexing agent-Ethylenediamine, Disdonator HB, Setamol BL, Castic Soda, Setamol Ws, Finishing agent)	Gram	5.18	Nil	0.50%	5.21
		d) Silicon Oil	Gram	5.78	Nil	1.00%	5.83
6	100% Spun Polyester Sewing Thread in Cone. Count : 40/3 Length : 4000 Meter Unit : One Cone	a) 100% Spun Polyester Thread in Cone	Gram	177.16	2.50%	1.50%	184.25
		b) Dyed Stuff	Gram	3.22	Nil	0.50%	3.24
		c) Chemicals (Falagel FA-6, Eganal mldu, Hydrochloric Acid, Univadine DP, Levelling agent, Complexing agent-Ethylenediamine, Disdonator HB, Setamol BL, Castic Soda, Setamol Ws, Finishing agent)	Gram	5.18	Nil	0.50%	5.21
		d) Silicon Oil	Gram	5.78	Nil	1.00%	5.83

ফেবিয়ান

Ashia
১৬/০২/১৮

মুহম্মদ আফজালুর রহমান
সেটের স্পেশালিস্ট
শুল্ক রেয়াত ও প্রত্যর্পণ পরিদপ্তর (ডেপুটি)
ঢাকা।

মোঃ রুহুল আমিন
কস্ট একাউন্ট্যান্ট
শুল্ক রেয়াত ও প্রত্যর্পণ পরিদপ্তর
ঢাকা।

আবদুল হক
সহকারী পরিচালক
শুল্ক রেয়াত ও প্রত্যর্পণ পরিদপ্তর
ঢাকা।

২০/০২/১৮

এ.কে.এম. আশিকুর রহমান মজুমদার
সেটের স্পেশালিস্ট
শুল্ক রেয়াত ও প্রত্যর্পণ পরিদপ্তর
ঢাকা

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার
শুষ্ক রেয়াত ও প্রত্যর্পণ পরিদপ্তর,
৩২ তোপখানা রোড, ঢাকা।

মেসার্স ফেবিয়ান থ্রেড লিমিটেড এর উপকরণ উৎপাদ সহগ

Sl. No.	Name of Product	Name of Raw Materials	Unit of Measurement	Consumption of Raw Materials			
				Actual	Shrinkage	Wastage	Gross
7	100% Spun Polyester Sewing Thread in Cone. Count : 20/6 Length : 1000 Meter Unit : One Cone	a) 100% Spun Polyester Thread in Cone	Gram	177.16	2.50%	1.50%	184.25
		b) Dyed Stuff	Gram	3.22	Nil	0.50%	3.24
		c) Chemicals (Falagel FA-6, Eganal mldu, Hydrochloric Acid, Univadine DP, Levelling agent, Complexing agent-Ethylenediamine, Disdonator HB, Setamol BL, Custic Soda, Setamol Ws, Finishing agent)	Gram	5.18	Nil	0.50%	5.21
		d) Silicon Oil	Gram	5.78	Nil	1.00%	5.83
8	100% Spun Polyester Sewing Thread in Cone. Count : 20/9 Length : 500 Meter Unit : One Cone	a) 100% Spun Polyester Thread in Cone	Gram	133.00	2.50%	1.50%	138.32
		b) Dyed Stuff	Gram	2.42	Nil	0.50%	2.43
		c) Chemicals (Falagel FA-6, Eganal mldu, Hydrochloric Acid, Univadine DP, Levelling agent, Complexing agent-Ethylenediamine, Disdonator HB, Setamol BL, Custic Soda, Setamol Ws, Finishing agent)	Gram	3.89	Nil	0.50%	3.91
		d) Silicon Oil	Gram	4.34	Nil	1.00%	4.38
9	100% Spun Polyester Sewing Thread in Cone. Count : 150D Length : 4000 Meter Unit : One Cone	a) 100% Spun Polyester Sewing Thread in Hank/Cone	Gram	66.67	2.50%	1.50%	69.34
		b) Dyed Stuff	Gram	1.21	Nil	0.50%	1.22
		c) Chemicals (Falagel FA-6, Eganal mldu, Hydrochloric Acid, Univadine DP, Levelling agent, Complexing agent-Ethylenediamine, Disdonator HB, Setamol BL, Custic Soda, Setamol Ws, Finishing agent)	Gram	1.95	Nil	0.50%	1.96
		d) Silicon Oil	Gram	2.17	Nil	1.00%	2.20

- Note: (a) In case of White Sewing Thread 0.75% Brightening agent would used (weight of thread) instead of Dyed Stuff.
(b) Finishing agent would be used only for White Sewing Thread.
(c) The raw materials consumption will be varied as per length of cone.

নোটঃ উৎপাদ উপকরণ সহগ নিম্নলিখিত কারণে অবশ্যই পুনঃনির্ধারণ করতে হবে।

- যদি নতুন পণ্য উৎপাদন করা হয়।
- যদি অস্বাভাবিক অবস্থার উদ্ভব হয়, যেমন- অতিরিক্ত বিদ্যুৎ বিভ্রাট, অপরিষ্কার প্রাকৃতিক গ্যাস সরবরাহ ইত্যাদি।
- যদি টেকনোলজির পরিবর্তন হয়।
- যদি ক্রেতার চাহিদা অনুযায়ী পণ্যের গুণগত মানের ব্যাপক পরিবর্তন হয়।
- যদি প্রতিষ্ঠান কর্তৃপক্ষ কোন যৌক্তিক কারণে সহগ সংশোধনের জন্য এসোসিয়েশনের মাধ্যমে আবেদন করে।
- যদি প্রতিষ্ঠানে কোন ধরণের বিএমআরই করা হয়।
- যে কোন যৌক্তিক কারণে কর্তৃপক্ষ যে কোন সময়ে সহগ সংশোধন বা বাতিল করার ক্ষমতা রাখে।
- এই সহগ জারির তারিখ হতে পরবর্তী ৫ (পাঁচ) বছরের জন্য বলবৎ থাকবে।
- এই সহগ জারির ফলে ইতোপূর্বে জারিকৃত সকল সহগ বাতিল বলে গন্য হবে।
- সহগের মেয়াদ শেষ হওয়ার ন্যূনতম ৩ (তিন) মাস পূর্বে অবশ্যই সহগ পুনঃনির্ধারণ এর জন্য আবেদন করতে হবে।

এ.কে.এম, আশিকুর রহমান মঞ্জুরদার
সেটর স্পেশালিস্ট
শুষ্ক রেয়াত ও প্রত্যর্পণ পরিদপ্তর
ঢাকা

মুহম্মদ আফজালুর রহমান
সেটর স্পেশালিস্ট
শুষ্ক রেয়াত ও প্রত্যর্পণ পরিদপ্তর (ডেপুটি)
ঢাকা।

মোঃ রুহুল আমিন
কন্ট্রোলিং অফিসার
শুষ্ক রেয়াত ও প্রত্যর্পণ পরিদপ্তর
ঢাকা।

আবদুল হক
সহকারী পরিচালক
শুষ্ক রেয়াত ও প্রত্যর্পণ পরিদপ্তর
ঢাকা।

২০/০২/১৬